

REFERENCES

AACR Cancer Progress Report, Accessed on 26 May 2016, Retrieved in 2012 from http://clincancerres.aacrjournals.org/content/18/21_Supplement/S1.full

Academia, Accessed on 26 May 2016, from http://www.academia.edu/4116439/moringa_oleifera

Ahmed, I. A., Mikail, M. A., Ibrahim, M., Hazali, N., Rasad, M. S. B. A., Ghani, R. A., Wahab, R. A., Arief, S. J., Yahya, M. N. A., (2015). Antioxidant activity and phenolic profile of various morphological parts of underutilised *Baccaurea angulate* fruit. Food Chemistry, 172: 778-787.

Al-Asmari AK, Albalawi SM, Athar MT, Khan AQ, Al-Shahrani H, Islam M, (2015). *Moringa oleifera* as an Anti-Cancer Agent against Breast and Colorectal Cancer Cell Lines. PLoS ONE 10(8): e0135814. doi:10.1371/journal.pone.0135814

American Cancer Society, Accessed on 15 March 2016, Retrieved on 2 June 2015, from <http://www.cancer.org/treatment/treatmentsandsideeffects/treatmenttypes/chemotherapy/chemotherapyprinciplesanin-depthdiscussionofthetechniquesanditsroleintreatment/chemotherapy-principles-types-of-chemo-drugs>

Arthur. Natural products isolation second edition. Accessed on 10 March 2016, Retrieved from <http://www.ebah.com.br/content/ABAAeziAAE/natural-products-isolation-2nd-ed?part=7>

Berkovich L., Earon G., Ron I., Rimmon A., Vexler A., Lev-Ari S., (2013). *Moringa oleifera* aqueous leaf extract down-regulates nuclear factor-kappaB and increases cytotoxic effect of chemotherapy in pancreatic cancer cells. BMC Complementary and Alternative Medicine, 13:212.

Bobo-García, Davidov-Pardo G, Arroqui C, Vírveda P, Marín-Arroyo MR, Navarro M., (2014). Intra-laboratory validation of microplate methods for total phenolic content and antioxidant activity on polyphenolic extracts, and comparison with conventional spectrophotometric methods. Journal of the Science and Food Agriculture, 95(1): 204-209.

Boonyadist Vongsak, Pongtip Sithisarn, Supachoke Mangmool, Suchitra Thongpraditchote, Yuvadee Wongkrajang, Wandee Gritsanapan, (2012). Maximizing total phenolics, total flavonoids contents and antioxidant activity of *Moringa oleifera* leaf extract by the appropriate extraction method, Industrial Crops and Products, Volume 44, January 2013, Pages 566–571.

Burits M, Bucar F, (2000). Antioxidant activity of *Nigella sativa* essential oil. *Phytotherapy Research*, 14(5): 323-8.

Burkill, J.H., (1966). *A Dictionary of Economic Products of the Malay Peninsula*. Vol. 2, Art Printing Works Publishers, Kuala Lumpur, Malaysia.

Cancer Research UK, Accessed on 6 March 2016, Retrieved on 2 February 2015, from <http://www.cancerresearchuk.org/about-cancer/cancers-in-general/treatment/complementary-alternative/therapies/herbal-medicine>

Centre for Jatropha Promotion & Biodiesel. Accessed on 8 March 2016, Retrieved in 2007 from <http://www.jatrophabiodiesel.org/moringa/about-plant.php>

Céspedes, C. L., El-Hafidi, M., Pavon, N., Alarcon, J., (2008). Antioxidant and cardioprotective activities of phenolic extracts from fruits of Chilean blackberry *Aristotelia chilensis* (Elaeocarpaceae), Maqui. *Food Chemistry*, 107(2): 820-829.

Charlette Tiloke, Alisa Phulukdaree, Anil A Chuturgoon, (2013). The antiproliferative effect of *Moringa oleifera* crude aqueous leaf extract on cancerous human alveolar epithelial cells. *BMC Complementary and Alternative Medicine*, 13:226.

CHEMO Administrator, Accessed on 10 March 2016, Retrieved on April 2003, from <https://www.erowid.org/archive/rhodium/pdf/soxhlet4dummies.pdf>

Cuendet M, Hostettmann K, Potterat O, Dyatmiko W (1997). Iridoid glucosides with free radical scavenging properties from *Fagraea blumei*. *Helvetica Chimica Acta*. 80: 1144-1152.

Benoit, Accessed on 14 March 2016, Retrieved on 9 January 2014, from http://www.chem.ucalgary.ca/courses/351/laboratory/351_outline_W14.pdf

El-Shemy HA, Aboul-Enein AM, Aboul-Enein KMI, Fujita K (2007). Willow leaves extracts contains anti-tumor agents effective against three cells types. *PLoS ONE*, 2(1): p. 178.

Fahey (2005). *Moringa oleifera*: A Review of the Medical Evidence for Its Nutritional, Therapeutic, and Prophylactic Properties. Part 1. *Trees for Life Journal*, 1:5.

Guevaraa AP, Vargasa C, Sakuraib H, Fujiwarab Y, Hashimotob K, Maokab T, Kozukac M, Itoc Y, Tokudad H, Nishinod H (1999). An antitumor promoter from *Moringa oleifera* Lam. *Mutat. Res.* 440:181- 188.

Hatamnia AA, Abbaspour N, Darvishzadeh R., (2014). Antioxidant activity and phenolic profile of different parts of *Bene* (*Pistacia atlantica* subsp. *kurdica*) fruits. *Food Chemistry*, 145: 306-311.

Herald, T. J., Gadgil, P. & Tilley, M. (2012). High-throughput micro plate assays for screening flavonoid content and DPPH-scavenging activity in sorghum bran and flour. J Sci Food Agric, DOI 10.1002/jsfa.5633.

Jed W. Fahey, *Moringa oleifera*: A Review of the Medical Evidence for Its Nutritional, Therapeutic, and Prophylactic Properties. Part 1, Trees for Life Journal, 2005 from <http://www.tfljournal.org/article.php/20051201124931586>

Johnson IT (2007). Phytochemicals and cancer. Proc. Nutr. Soc. 66(2):207-215.

Jung IL (2014). Soluble Extract from *Moringa oleifera* Leaves with a New Anticancer Activity. PLoS ONE 9(4): e95492.

Katsube, T., Tabata, H., Ohta, Y., Yamasaki, Y., Anuurad, E., Shiwaku, K., (2004). Screening for antioxidant activity in edible plant products: Comparison of low-density lipoprotein oxidation assay, DPPH radical scavenging assay, and Folin–Ciocalteu assay. Journal of the Agricultural and Food Chemistry, 52: 2391–2396.

Khalafalla MM, Abdellatef E, Daffalla HM, Nassrallah AA, Aboul-Enein KM, Lightfoot DA, Cocchetto A, El-Shemy HA (2009). Antileukemia activity from root cultures of *Vernonia amygdalina*. Journal of Medicinal Plants Research, 3(8): 556-562.

Kim SJ, Chung WS, Kim SS, Ko SG, Um JY (2011). Anti-inflammatory effect of *Oldenlandia diffusa* and its constituent, hentriacontane, through suppression of Caspase-1 activation in mouse peritoneal macrophages. Phytotherapy Research; 25(10): 1537–1546.

Kumar, S., & Pandey, A. K. (2013). Chemistry and Biological Activities of Flavonoids: An Overview. The Scientific World Journal, 2013, 162750.

Leone, A., Spada, A., Battezzati, A., Schiraldi, A., Aristil, J., Bertoli, S. (2015). Cultivation, Genetic, Ethnopharmacology, Phytochemistry and Pharmacology of *Moringa oleifera* Leaves: An Overview. International Journal of Molecular Sciences, 16(6): 12791–12835.

Lin JG, Chen GW, Li TM, Chouh ST, Tan TW, Chung JG., (2006). Aloe-emodin induces apoptosis in T24 human bladder cancer cells through the p53 dependent apoptotic pathway. Journal of Urology, 175(1): 343-347.

Lowell J. Fuglie. The Moringa Tree. Accessed on 28 November 2016. Retrieved from http://miracletrees.org/moringa-doc/moringa_the_miracle_tree.pdf

Makkar, H.P.S. and K. Becker, 1997. Nutrients and antiquality factors in different morphological parts of the *Moringa oleifera* tree. J. Agric. Sci., 128: 311-322.

Malliga Elangovan, Dhanarajan. M. S., Rajalakshmi A., Jayachitra A., Pardhasaradhi Mathi, Narasimharao Bhogireddy (2014). Analysis of phytochemicals, antibacterial and

antioxidant activities of *Moringa oleifera* lam. leaf extract - an in vitro study. International Journal of Drug Development and Research, 6(4): 173-180.

Malliga Elangovan, M.S. Dhanarajan, I. Elangovan (2015.) Determination of Bioactive Compounds from the Petroleum Ether Leaf Extract of *Moringa oleifera* and *Phyllanthus Emblica* Using GC-MS Analysis. World Journal of Pharmaceutical Research, Volume 4, Issue 3, 1284-1298.

Mandal, Accessed on 3 March 2016, Retrieved on 21 March 2013, from <http://www.news-medical.net/health/What-Causes-Cancer.aspx>

Meda, A., Lamien, C. E., Romito, M., Millogo, J., Nacoulma, O. G., (2005). Determination of the total phenolic, flavonoid and proline contents in Burkina Faso honey, as well as their radical scavenging activity. Food Chemistry, 91(3): 571-577.

Morton, J.F., 1991. The horseradish tree, *Moringa pterygosperma* (Moringaceae): A boon to arid lands? Econ. Bot., 45: 318-333.

Mosmann T., (1983). Rapid colorimetric assay for cellular growth and survival: application to proliferation and cytotoxicity assays. Journal of Immunological Methods, 65(1-2): 55-63.

Moyo B, Masika P. J., Hugo A., Muchenje V. (2011). Nutritional characterization of *Moringa* (*Moringa oleifera* Lam.) leaves. African Journal of Biotechnology Vol. 10(60), pp. 12925-12933.

Murakami A, Kitazono Y, Jiwajinda S, Koshimizu K, Oshigashi HA (1998). Thiocarbonate from the leaves of *Moringa oleifera* holds a strict structural requirement for inhibition of tumor-promoter-induced Epstein-Barr virus activation. Planta Med. 64:319-323.

Mutasim M. Khalafalla, Eltayb Abdellatef, Hussain Mohammed Dafalla, Amr A. Nassrallah, Khalid M. Aboul-Enein, David A. Lightfoot, Fadl E. El-Deeb, Hany A. El-Shemy (2010). Active principle from *Moringa oleifera* Lam leaves effective against two leukemias and a hepatocarcinoma. African Journal of Biotechnology Vol. 9(49), pp. 8467-8471.

National Cancer Institute, Accessed on 4 March 2016, Retrieved on 7 July 2004, from <http://www.medicinenet.com/script/main/art.asp?articlekey=21716>

Nilanjana Ghosh (2014). Anticancer effect of *Moringa oleifera* leaf extract on human breast cancer cell. Faculty of Engineering & Technology Jadavpur University, Kolkata, India.

Ojiako, E.N., (2014). Phytochemical Analysis and Antimicrobial Screening Of *Moringa Oleifera* Leaves Extract. The International Journal Of Engineering And Science Volume 3, Issue 3, Pages 32-35.

Organic Information Services Pvt Ltd, Accessed on 8 March 2016, Retrieved on 2016, from <https://www.organicfacts.net/health-benefits/vegetable/moringa.html>

Parul & Abhishek, Accessed on 15 March 2016, Retrieved in 2012, from <http://www.hoajonline.com/journals/pdf/2049-7962-1-5.pdf>

Prieto, J. M. (2012). Procedure: Preparation of DPPH Radical, and antioxidant scavenging assay, (pp. 7-9).

Pothitirat W., Chomnawang M. T., Supabphol R., Gritsanapan W., (2009). Comparison of bioactive compounds content, free radical scavenging and anti-acne inducing bacteria activities of extracts from the mangosteen fruit rind at two stages of maturity, *Fitoterapia*, 80, pp. 442–447.

Radovich, T., 2009. Farm and Forestry Production and Marketing Profile for *Moringa* (*Moringa oleifera*). In: Specialty Crops for Pacific Island Agroforestry, Elevitch, C.R. (Ed.). Permanent Agriculture Resources (PAR), Holualoa, Hawai'I.

Ramalakshmi. S. and Muthuchelian. K (2011). Analysis of Bioactive Constituents from the Ethanolic Leaf Extract of *Tabebuia rosea* (Bertol.) DC by Gas Chromatography – Mass Spectrometry. *International Journal of ChemTech Research*, 3(3): 1054-1059.

Ratini, Accessed on 14 April 2016, Retrieved on 17 June 2015, from <http://www.webmd.com/a-to-z-guides/epstein-barr-virus>

Ray R.B., Raychoudhuri A., Steele R., Nerurkar P. (2010). Bitter melon (*Momordica charantia*) extract inhibits breast cancer cell proliferation by modulating cell cycle regulatory genes and promotes apoptosis. *Cancer Research*, 70(5): 1925-1931.

Rob Toleki, Accessed on 12 March 2016, Retrieved on 24 July 2015, from <http://www.ilpi.com/inorganic/glassware/rotavap.html>

Sabale V, Patel V, Paranjape A, Arya C, Sakarkar SN, Sabale PM (2008). *Moringa oleifera* (Drumstick): An overview. *Pharmacogn. Rev.* 2(4):7-13.

Sachan, A., A.K. Meena, R. Kaur, B. Pal, B. Singh, (2010). *Moringa oleifera*: A Review. *J. Pharm. Res.*, 3: 840-842.

Sharma N, Gupta PC, Rao ChV (2012). Nutrient content, mineral, content and antioxidant activity of *Amaranthus viridis* and *Moringa oleifera* leaves. *Res. J. Med. Plant* 6(3):253-259.

Sreejith P S, Praseeja R J, Asha V V, (2012). A review on the pharmacology and phytochemistry of traditional medicinal plant, *Glycosmis pentaphylla* (Retz.) Correa. *Journal of Pharmacy Research*, 5(5): 2723-2728.

Sreelatha S., Jeyachitra A., Padma P.R (2011). Antiproliferation and induction of apoptosis by *Moringa oleifera* leaf extract on human cancer cell, Journal of Food and Chemical Toxicology, 49, pp. 1270-1275.

Suphachai Charoensin (2014). Antioxidant and anticancer activities of *Moringa oleifera* leaves, Journal of Medicinal Plant Research. Vol. 8(7), pp. 318-325.

The Interactive Lab Primer, Accessed on 11 March 2016, Retrieved from <http://www.chem-ilp.net/labTechniques/RotaryEvaporatorAnimation.htm>

Wu, X., Beecher, G. R., Holden, J. M., Haytowitz, D. B., Gebhardt, S. E., Prior, R. L., (2004). Lipophilic and hydrophilic antioxidant capacities of common foods in the United States. Journal of the Agricultural and Food Chemistry, 52: 4026–4037.

Yoshiyuki Mizushina, Katsumi Nishimura, Yukiko Takenaka, Toshifumi Takeuchi, Fumio Sugawara, Hiromi Yoshida, Takao Tanahashi, (2010). Inhibitory effects of docosyl p-coumarate on DNA topoisomerase activity and human cancer cell growth. International Journal of Oncology, 37(4): 993-1000.